Safety Data Sheet

Date of issue: 02/19/2022 Version: 1.0

1.1. Identification				
Product form		: Mixture		
Product name		: Hoof Plus		
1.2. Recommended use	and restricti	ons on use		
No additional information av	ailable			
1.3. Supplier				
Clear Lake Products, Inc. 21303 Highway 30				
Filer, Idaho 83328 1-208-737-9887				
https://www.clearlakesprodu	cts.com/			
1.4. Emergency telepho	one number			
Emergency number:		nergency HAZMAT Response (nal Response Center (800) 424-	,	
SECTION 2: HAZARD(S) IDENTIFICA	TION		
2.1. Classification of th	e substance	or mixture		
GHS US classification				
Skin corrosion/irritation Cate Eye Corrosion Cate	gory 1 gory 1	H314 H314		

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)

- : Danger
- : H302- Harmful if swallowed, in contact with skin or if inhaled
- H314 Causes severe skin burns and eye damage
- : P260 Do not breathe mist, spray.
- P262 Do not get in eyes, on skin, or on clothing.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective clothing, eye protection, face protection, protective gloves.

P284 - [In case of inadequate ventilation] wear In case of inadequate ventilation wear respiratory protection..

P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER (800-222-1222).

- P301+P330+P331 If swallowed: rinse mouth. Do NOT induce vomiting.
- P302+P352 If on skin: Wash with plenty of soap and water.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a doctor, a POISON CENTER (800-222-1222).
P320 - Specific treatment is urgent (see the first aid section on this label).
P330 - Rinse mouth.
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.
P363 - Wash contaminated clothing before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents/container to in a safe manner that complies with local, state, and federal regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Copper Sulfate	CAS-No.: 7758-99-8		Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318
Sulfuric Acid	CAS-No.: 7664-93-9	1-20%	Eye Dam. 1, H318 Skin Corr. 1, H314

SECTION 4: FIRST-AID MEASURES

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a physician immediately. Call a doctor.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Call a physician immediately. Rinse ski with water/shower.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a physician immediately. Do not induce vomiting.
4.2. Most important symptoms and e	ffects (acute and delayed)
Symptoms/effects after skin contact	: Serious Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

Safety Data Sheet

SECTION 5: FIRE-FIGHTING MEASURES		
5.1. Suitable (and unsuitable) extinguishing	g media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Specific hazards arising from the chem	nical	
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Special protective equipment and prec	autions for fire-fighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
SECTION 6: ACCIDENTAL RELEASE MEASU	RES	
6.1. Personal precautions, protective equip	oment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe mist, spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refe to section 8: "Exposure controls/personal protection".	
Protective equipment 6.2. Environmental precautions		
6.2. Environmental precautions	to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions Avoid release to the environment.	to section 8: "Exposure controls/personal protection".	

SECTION 7: HANDLING AND STOR	AGE
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Do not breathe mist, spray.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Storage conditions Storage area	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.Store in a cool, dry place.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Copper Sulfate

1 mg/m3 USA. NIOSH Recommended Exposure Limits

Sulfuric Acid

0.2 mg/m3. USA. ACGIH Threshold Limit Values (TLV)

Safety Data Sheet

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

and protection:	
otective gloves	
ye protection:	
afety glasses	
kin and body protection:	
ear suitable protective clothing	
Respiratory protection:	
ear respiratory protection.	

Personal protective equipment symbol(s):



9.1. Information on basic physical and cl	hemical properties
Physical state	: Liquid
Color	: Mixture contains one or more component(s) which have the following color(s): White
Odor	: There may be no odor warning properties, odour is subjective and inadequate to warn of overexposure.
	Mixture contains one or more component(s) which have the following odor: Odorless
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
/iscosity, kinematic	: No data available
/iscosity, dynamic	: No data available

Safety Data Sheet

Explosion limits	
Explosive properties	
Oxidizing properties	

No data availableNo data availableNo data available

9.2. Other information

No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION		
11.1. Information on toxicological effects		
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Harmful if swallowed. Harmful in contact with skin.	
Copper Sulfate		
ATE US (oral)	2,140 mg/kg (Rat)	
ATE US (dermal)	Corrosive to skin	
ATE US (dust, mist)	Unknown	
Sulfuric Acid		
LD50 oral rat	300 mg/kg (Rat; Literature)	
Germ cell mutagenicity : Carcinogenicity : Reproductive toxicity : Specific target organ toxicity – single exposure :	 Causes severe skin burns. Causes serious eye damage : Not classified Burns. Serious damage to eyes. Burns. 	

Safety Data Sheet

SECTION 12: ECOLOGICAL INFORMATION	
12.1. Toxicity	
Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Copper Sulfate	
LC50 - Fish [1]	0.032 mg/l- 96 h Rainbow Trout
12.2. Persistence and degradability	
Sulfuric Acid	
Toxicity to daphnia	> 100 mg/l - 48 h
Toxicity to algae	> 100 mg/l - 72 h
12.3. Bioaccumulative potential	
Copper Sulfate & Sulfuric Acid	
Bioaccumulative potential	Bioaccumulation: not applicable.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: DISPOSAL CONSIDERATIONS	3
13.1. Disposal methods	
Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Prevent liquid from entering sewers, watercourses, underground or low areas. Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: TRANSPORT INFORMATION	
14.1. UN number	
DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA)	: UN1760 : Not applicable : 1760 : Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: Copper Sulfate : Not applicable :Copper Sulfate : Not applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 8 (6.1) : 8, 6.1 CORROSIVE 8 6 6

Safety Data Sheet

TDG Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG)	: 8 (6.1) : 8, 6.1
IATA Transport hazard class(es) (IATA)	: Not applicable
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	: II : Not applicable : II : Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT Special Provisions (49 CFR 172.102) DOT Special Provisions (49 CFR 173.102)	 UN1760 A6 - For combination packaging, if plastic inner packaging are used, they must be packed in tightly closed metal receptacles before packing in outer packaging. A7 - Steel packaging must be corrosion-resistant or have protection against corrosion. B15 - Packaging must be protected with non-metallic linings impervious to the lading or have a suitable corrosion allowance. IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. N5 - Glass materials of construction are not authorized for any part of a packaging which is normally in contact with the hazardous material. N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material. T8 - 4 178.274(d)(2) Normal
DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 243 : 1 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L

Safety Data Sheet

DOT Vessel Stowage Location	: D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.
DOT Vessel Stowage Other	 12 - Keep as cool as reasonably practicable,25 - Protected from sources of heat,40 - Stow "clea of living quarters"
TDG	. 467
Emergency Response Guide (ERG) Number	: 157
IMDG	
Packing instructions (IMDG)	: P001
Packing provisions (IMDG)	: PP81
IBC packing instructions (IMDG)	: IBC02
IBC special provisions (IMDG)	: B20
Tank instructions (IMDG)	: T8
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: D
Properties and observations (IMDG)	: Colourless liquid with an irritating odour. Highly corrosive to glass, other siliceous materials and most metals. Toxic if swallowed, by skin contact or by inhalation. Both the liquid and its fumes cause severe burns to skin, eyes and mucous membranes.

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1. US Federal regulations

Copper Sulfate		
Not listed		
Not listed		
Not listed		
Sulfuric Acid		
Control Act) inventory ates SARA Section 313		

CERCLA RQ

Not listed

15.2. International regulations

CANADA

Sulfuric Acid

Unknown

Safety Data Sheet

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

Component	State or local regulations
Copper Sulfate (7758-99-8)	None
, ,	U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List. Known in the state of California to cause cancer

SECTION 16: OTHER INFORMATION

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data Sheet is furnished free of charge and is intended for your evaluation. In our opinion the information is, as of the date of this Safety Data Sheet, reliable, however, it is your responsibility to determine the suitability of the information for your use. You are advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional or variable conditions or circumstances exist or because of applicable laws or government regulations. Therefore, you should use this information only as a supplement to other information gathered by you, and you must make independent determinations of the suitability and completeness of the information from all sources to assure both proper use of the material described herein and the safety and health of employees. Accordingly, no guarantee is expressed or implied as to the results to be obtained based upon your use of the information.